



VABS
Ultimate precision.




Metric ISO Thread Standards

Common & Fine Thread Dimensions
Production Reference Guide
M 1.6 - M 60 & MF 2.5 - MF 100

Thread limit dimensions and lead angle for bolt threads see DIN 13 part 20

d = Bolt major-Ø
 d₂ = Bolt pitch-Ø
 d₃ = Bolt minor-Ø

Lead $\angle \beta$ to nominal-Ø d₂

$$\tan \beta = \frac{P}{d_2 \cdot \pi}$$



Thread		Tolerance field (mm)												Lead			
Nominal Ø	Pitch P	4 h			6 g			6 e			$\angle \beta$ Deg., min.						
		d max.	d min.	d ₂ max.	d ₂ min.	d ₃ max.	d max.	d min.	d ₂ max.	d ₂ min.		d ₃ max.					
M 1,6 x 0,35		1,600	1,547	1,373	1,333	1,170	1,581	1,496	1,354	1,291	1,151	1,554	1,469	1,327	1,264	1,124	4° 38'
M 1,8 x 0,35		1,800	1,747	1,573	1,533	1,370	1,781	1,696	1,554	1,491	1,351	1,754	1,669	1,527	1,464	1,324	4° 3'
M 2 x 0,4		2,000	1,940	1,740	1,698	1,509	1,981	1,886	1,721	1,654	1,490	1,952	1,857	1,692	1,625	1,461	4° 11'
M 2,2 x 0,45		2,200	2,137	1,908	1,863	1,648	2,180	2,080	1,888	1,817	1,628	2,152	2,052	1,860	1,789	1,600	4° 17'
M 2,5 x 0,45		2,500	2,437	2,208	2,163	1,948	2,480	2,380	2,188	2,117	1,928	2,452	2,352	2,160	2,089	1,900	3° 42'
M 3 x 0,5		3,000	2,933	2,675	2,627	2,387	2,980	2,874	2,655	2,580	2,367	2,950	2,844	2,625	2,550	2,337	3° 24'
M 3,5 x 0,6		3,500	3,420	3,110	3,057	2,764	3,479	3,354	3,089	3,004	2,743	3,447	3,322	3,057	2,972	2,711	3° 30'
M 4 x 0,7		4,000	3,910	3,545	3,489	3,141	3,978	3,838	3,523	3,433	3,119	3,944	3,804	3,489	3,399	3,085	3° 36'
M 4,5 x 0,75		4,500	4,410	4,013	3,957	3,580	4,478	4,338	3,991	3,901	3,558	4,444	4,304	3,957	3,867	3,524	3° 24'
M 5 x 0,8		5,000	4,905	4,480	4,420	4,019	4,976	4,826	4,456	4,361	3,995	4,940	4,790	4,420	4,325	3,959	3° 15'
M 6 x 1		6,000	5,888	5,350	5,279	4,773	5,974	5,794	5,324	5,212	4,747	5,940	5,760	5,290	5,178	4,713	3° 24'
M 7 x 1		7,000	6,888	6,350	6,279	5,773	6,974	6,794	6,324	6,212	5,747	6,940	6,760	6,290	6,178	5,713	2° 52'
M 8 x 1,25		8,000	7,868	7,188	7,113	6,466	7,972	7,760	7,160	7,042	6,438	7,937	7,725	7,125	7,007	6,403	3° 10'
M 9 x 1,25		9,000	8,868	8,188	8,113	7,466	8,972	8,760	8,160	8,042	7,438	8,937	8,725	8,125	8,007	7,403	2° 46'
M 10 x 1,5		10,000	9,850	9,026	8,941	8,160	9,968	9,732	8,994	8,862	8,128	9,933	9,697	8,959	8,827	8,093	3° 1'
M 11 x 1,5		11,000	10,850	10,026	9,941	9,160	10,986	10,732	9,994	9,862	9,128	10,933	10,697	9,959	9,827	9,093	2° 43'
M 12 x 1,75		12,000	11,830	10,863	10,768	9,853	11,966	11,701	10,829	10,679	9,819	11,929	11,664	10,792	10,642	9,782	2° 56'
M 14 x 2		14,000	13,820	12,701	12,601	11,546	13,962	13,682	12,663	12,503	11,508	13,929	13,649	12,630	12,470	11,475	2° 52'
M 16 x 2		16,000	15,820	14,701	14,601	13,546	15,962	15,682	14,663	14,503	13,508	15,929	15,649	14,630	14,470	13,475	2° 28'
M 18 x 2,5		18,000	17,788	16,376	16,270	14,933	17,958	17,623	16,334	16,164	14,891	17,920	17,585	16,296	16,126	14,853	2° 46'
M 20 x 2,5		20,000	19,788	18,367	18,270	16,933	19,958	19,623	18,334	18,164	16,891	19,920	19,585	18,269	18,126	16,853	2° 28'
M 22 x 2,5		22,000	21,788	20,376	20,270	18,933	21,958	21,623	20,334	20,164	18,891	21,920	21,585	20,296	20,126	18,853	2° 14'
M 24 x 3		24,000	23,764	22,051	21,926	20,319	23,952	23,577	22,003	21,803	20,271	23,915	23,540	21,996	21,766	20,234	2° 28'
M 27 x 3		27,000	26,764	25,051	24,926	23,319	26,952	26,577	25,003	24,803	23,271	26,915	26,540	24,966	24,766	23,234	2° 10'
M 30 x 3,5		30,000	29,735	27,727	27,595	25,706	29,947	29,522	27,674	27,462	25,653	29,910	29,485	27,637	27,425	25,616	2° 18'
M 33 x 3,5		33,000	32,735	30,727	30,595	28,706	32,947	32,522	30,674	30,462	28,653	32,910	32,485	30,637	30,425	28,616	2° 4'
M 36 x 4		36,000	35,700	33,402	33,262	31,093	35,940	35,465	33,342	33,118	31,033	35,905	35,430	33,307	33,083	30,998	2° 11'
M 39 x 4		39,000	38,700	36,402	36,262	34,093	38,940	38,465	36,342	36,118	34,033	38,905	38,430	36,307	36,083	33,988	2°
M 42 x 4,5		42,000	41,685	39,077	38,927	36,479	41,937	41,437	39,014	38,778	36,416	41,900	41,400	38,977	38,741	36,379	2° 6'
M 45 x 4,5		45,000	44,685	42,077	41,927	39,479	44,397	44,437	42,014	41,778	39,416	44,900	44,400	41,977	41,741	39,379	1° 57'
M 48 x 5		48,000	47,665	44,752	44,592	41,866	47,929	47,399	44,681	44,431	41,795	47,894	47,364	44,646	44,396	41,790	2° 2'
M 52 x 5		52,000	51,665	48,752	48,592	45,866	51,929	51,399	48,681	48,431	45,795	51,894	51,364	48,646	48,396	45,760	1° 52'
M 56 x 5,5		56,000	55,645	52,428	52,258	49,252	55,925	55,365	52,353	52,088	49,177	55,888	55,328	52,316	52,051	49,140	1° 54'
M 60 x 5,5		60,000	59,645	56,428	56,258	53,252	59,925	59,365	56,353	56,088	53,177	59,888	59,328	56,316	56,051	53,140	1° 46'

Thread limit dimensions and lead angle for bolt threads see DIN 13 part 21-23

d = Bolt major-Ø
d₂ = Bolt pitch-Ø
d₃ = Bolt minor-Ø

Lead \sphericalangle β to nominal-Ø d₂

$$\tan \beta = \frac{p}{d_2 \cdot \pi}$$



Thread		Tolerance field (mm)												Lead			
Nominal Ø	Pitch P	4 h					6 g					6 e					\sphericalangle β Deg., min.
		d max.	d min.	d ₂ max.	d ₂ min.	d ₃ max.	d max.	d min.	d ₂ max.	d ₂ min.	d ₃ max.	d max.	d min.	d ₂ max.	d ₂ min.	d ₃ max.	
MF 2,5	x 0,35	2,500	2,447	2,273	2,233	2,070	2,481	2,396	2,254	2,191	2,051	2,454	2,369	2,227	2,164	2,024	2° 48'
MF 3	x 0,35	3,000	2,947	2,773	2,731	2,570	2,981	2,896	2,754	2,687	2,551	2,954	2,869	2,727	2,660	2,524	2° 18'
MF 3,5	x 0,35	3,500	3,447	3,273	3,231	3,070	3,481	3,396	3,254	3,187	3,051	3,454	3,369	3,227	3,160	3,024	1° 57'
MF 4	x 0,5	4,000	3,933	3,675	3,627	3,387	3,980	3,874	3,655	3,580	3,367	3,950	3,844	3,625	3,550	3,337	2° 28'
MF 4,5	x 0,5	4,500	4,433	4,175	4,127	3,887	4,480	4,378	4,155	4,080	3,867	4,450	4,344	4,125	4,050	3,837	2° 10'
MF 5	x 0,5	5,000	4,933	4,675	4,627	4,387	4,980	4,874	4,655	4,580	4,367	4,950	4,844	4,625	4,550	4,337	1° 57'
MF 5,5	x 0,5	5,500	5,433	5,175	5,127	4,887	5,480	5,374	5,155	5,080	4,867	5,450	5,344	5,125	5,050	4,837	1° 45'
MF 6	x 0,5	6,000	5,933	5,675	5,627	5,387	5,980	5,784	5,655	5,570	5,367	5,950	5,844	5,625	5,540	5,337	1° 36'
MF 6	x 0,75	6,000	5,910	5,513	5,450	5,080	5,978	5,838	5,491	5,391	5,058	5,944	5,804	5,457	5,357	5,024	2° 28'
MF 7	x 0,75	7,000	6,910	6,513	6,450	6,080	6,978	6,838	6,491	6,391	6,058	6,944	6,804	6,457	6,357	6,024	2° 6'
MF 8	x 0,75	8,000	7,910	7,513	7,450	7,080	7,978	7,838	7,491	7,391	7,058	7,944	7,804	7,457	7,357	7,024	1° 49'
MF 8	x 1	8,000	7,888	7,350	7,279	6,773	7,974	7,794	7,324	7,212	6,747	7,940	7,760	7,290	7,178	6,713	2° 28'
MF 9	x 0,75	9,000	8,910	8,513	8,450	8,080	8,978	8,838	8,491	8,391	8,058	8,944	8,804	8,457	8,357	8,024	1° 36'
MF 9	x 1	9,000	8,888	8,350	8,279	7,773	8,974	8,794	8,324	8,212	7,747	8,940	8,760	8,290	8,178	7,713	2° 10'
MF 10	x 0,75	10,000	9,910	9,513	9,450	9,080	9,978	9,838	9,491	9,391	9,058	9,944	9,804	9,457	9,357	9,024	1° 26'
MF 10	x 1	10,000	9,888	9,350	9,279	8,773	9,974	9,794	9,324	9,212	8,747	9,940	9,760	9,290	9,178	8,713	1° 57'
MF 10	x 1,25	10,000	9,868	9,188	9,113	8,466	9,972	9,760	9,160	9,042	8,438	9,937	9,725	9,125	9,007	8,403	2° 28'
MF 11	x 0,75	11,000	10,910	10,513	10,450	10,080	10,978	10,838	10,491	10,391	10,058	10,944	10,804	10,457	10,357	10,024	1° 18'
MF 11	x 1	11,000	10,888	10,350	10,279	9,773	10,974	10,794	10,234	10,212	9,747	10,940	10,760	10,290	10,178	9,713	1° 45'
MF 12	x 0,75	12,000	11,910	11,513	11,446	11,080	11,978	11,838	11,491	11,385	11,058	11,944	11,804	11,457	11,351	11,024	1° 11'
MF 12	x 1	12,000	11,888	11,350	11,275	10,773	11,974	11,794	11,324	11,206	10,747	11,940	11,760	11,290	11,172	10,713	1° 36'
MF 12	x 1,25	12,000	11,868	11,188	11,103	10,466	11,972	11,760	11,160	11,028	10,438	11,937	11,725	11,125	10,933	10,403	2° 2'
MF 12	x 1,5	12,000	11,850	11,026	10,936	10,160	11,968	11,732	10,994	10,854	10,128	11,933	11,697	10,959	10,819	10,093	2° 28'
MF 14	x 1	14,000	13,888	13,350	13,275	12,773	13,974	13,794	13,324	13,206	12,747	13,940	13,760	13,290	13,172	12,713	1° 22'
MF 14	x 1,5	14,000	13,850	13,026	12,936	12,160	13,968	13,732	12,994	12,854	12,128	13,933	13,697	12,959	12,819	12,093	2° 6'
MF 16	x 1	16,000	15,888	15,350	15,275	14,773	15,974	15,794	15,324	15,206	14,747	15,940	15,760	15,290	15,172	14,713	1° 11'
MF 16	x 1,5	16,000	15,850	15,026	14,936	14,160	15,968	15,732	14,994	14,854	14,128	15,933	15,697	14,959	14,819	14,093	1° 49'
MF 18	x 1	18,000	17,888	17,350	17,275	16,773	17,974	17,794	17,324	17,206	16,747	17,940	17,760	17,290	17,172	16,713	1° 3'
MF 18	x 1,5	18,000	17,850	17,026	16,936	16,160	17,968	17,732	16,994	16,854	16,128	17,933	17,697	16,959	16,819	16,093	1° 36'
MF 18	x 2	18,000	17,820	16,701	16,601	15,546	17,962	17,682	16,663	16,503	15,508	17,929	17,649	16,630	16,470	15,475	2° 10'
MF 20	x 1	20,000	19,888	19,350	19,275	18,773	19,974	19,794	19,324	19,206	18,747	19,940	19,760	19,290	19,172	18,713	0° 56'
MF 20	x 1,5	20,000	19,850	19,026	18,936	18,160	19,968	19,732	18,994	18,854	18,128	19,933	19,697	18,959	18,819	18,093	1° 26'
MF 20	x 2	20,000	19,820	18,701	18,601	17,546	19,962	19,682	18,663	18,503	17,508	19,929	19,649	18,630	18,470	17,475	1° 57'
MF 22	x 1	22,000	21,888	21,350	21,275	20,773	21,974	21,794	21,324	21,206	20,747	21,940	21,760	21,290	21,172	20,713	0° 51'
MF 22	x 1,5	22,000	21,850	21,026	20,936	20,160	21,968	21,732	20,994	20,854	20,128	21,933	21,697	20,959	20,819	20,093	1° 18'
MF 22	x 2	22,000	21,820	20,701	20,601	19,546	21,962	21,682	20,663	20,503	19,508	21,929	21,649	20,630	20,470	19,475	1° 45'

Thread		Tolerance field (mm)															Lead
Nominal Ø	Pitch P	4 h					6 g					6 e					α β Deg., min.
		d		d ₂		d ₃	d		d ₂		d ₃	d		d ₂		d ₃	
		max.	min.	max.	min.	max.	max.	min.	max.	min.	max.	max.	min.	max.	min.	max.	
MF 24 x 1		24,000	23,888	23,350	23,270	22,773	23,974	23,794	23,324	23,199	22,747	23,940	23,760	23,290	23,165	22,713	0° 47'
MF 24 x 1,5		24,000	23,850	23,026	22,931	22,160	23,968	23,732	22,994	22,844	22,128	23,933	23,697	22,959	22,809	22,093	1° 11'
MF 24 x 2		24,000	23,820	22,701	22,595	21,546	23,962	23,682	22,663	22,493	21,508	23,929	23,649	22,630	22,460	21,475	1° 36'
MF 27 x 1		27,000	26,888	26,350	26,270	25,773	26,974	26,794	26,234	26,199	25,747	26,940	26,760	26,290	26,165	25,173	0° 41'
MF 27 x 1,5		27,000	26,850	26,026	25,931	25,160	26,968	26,732	25,994	25,844	25,128	26,933	26,697	25,959	25,809	25,093	1° 3'
MF 27 x 2		27,000	26,820	25,701	25,595	24,546	26,962	26,682	25,663	25,493	24,508	26,929	26,649	25,630	25,460	24,475	1° 25'
MF 30 x 1		30,000	29,888	29,350	29,270	28,773	29,974	29,794	29,324	29,199	28,747	29,940	29,760	29,290	29,165	28,713	0° 37'
MF 30 x 1,5		30,000	29,850	29,026	28,931	28,160	29,968	29,732	28,994	28,844	28,128	29,933	29,697	28,959	28,809	28,093	0° 56'
MF 30 x 2		30,000	29,820	28,701	28,595	27,546	29,962	29,682	28,663	28,493	27,508	29,929	29,649	28,630	28,460	27,475	1° 16'
MF 30 x 3		30,000	29,764	28,051	27,926	26,319	29,952	29,577	28,003	27,803	26,271	29,915	29,540	27,966	27,766	26,234	1° 57'
MF 33 x 1,5		33,000	32,850	32,026	31,931	31,160	32,968	32,732	31,994	31,844	31,128	32,933	32,697	31,959	31,809	31,093	0° 51'
MF 33 x 2		33,000	32,820	31,701	31,595	30,546	32,962	32,682	31,663	31,493	30,508	32,929	32,649	31,630	31,460	30,475	1° 9'
MF 33 x 3		33,000	32,764	31,051	30,926	29,319	32,952	32,577	31,003	30,803	29,271	32,915	32,540	30,966	30,766	29,234	1° 45'
MF 36 x 1,5		36,000	35,850	35,026	34,931	34,160	35,968	35,732	34,994	34,844	34,128	35,933	35,697	34,959	34,809	34,093	0° 47'
MF 36 x 2		36,000	35,820	34,701	34,595	33,546	35,962	35,682	34,663	34,493	33,508	35,929	35,649	34,630	34,460	33,475	1° 3'
MF 36 x 3		36,000	35,764	34,051	33,926	32,319	35,952	35,577	34,003	33,803	32,271	35,915	35,540	33,966	33,766	32,234	1° 36'
MF 39 x 1,5		39,000	38,850	38,026	37,931	37,160	38,968	38,732	37,994	37,844	37,128	38,933	38,697	37,959	37,809	37,093	0° 43'
MF 39 x 2		39,000	38,820	37,701	37,595	36,546	38,962	38,682	37,663	37,493	36,508	38,929	38,649	37,630	37,460	36,475	0° 58'
MF 39 x 3		39,000	38,764	37,051	36,926	35,319	38,952	38,577	37,003	36,803	35,271	38,915	38,540	36,966	36,766	35,234	1° 28'
MF 42 x 1,5		42,000	41,850	41,026	40,931	40,160	41,968	41,732	40,994	40,844	40,128	41,933	41,697	40,959	40,809	40,093	0° 40'
MF 42 x 2		42,000	41,820	40,701	40,595	39,546	41,962	41,682	40,663	40,493	39,508	41,929	41,649	40,630	40,460	39,475	0° 53'
MF 42 x 3		42,000	41,764	40,051	39,926	38,319	41,952	41,577	40,003	39,803	38,271	41,915	41,540	39,966	39,766	38,234	1° 22'
MF 42 x 4		42,000	41,700	39,402	39,262	37,093	41,940	41,465	39,342	39,118	37,033	41,905	41,430	39,307	39,083	36,998	1° 51'
MF 45 x 1,5		45,000	44,850	44,026	43,931	43,160	44,968	44,732	43,994	43,844	43,128	44,933	44,697	43,959	43,809	43,093	0° 37'
MF 45 x 2		45,000	44,820	43,701	43,595	42,546	44,962	44,682	43,663	43,493	42,508	44,929	44,649	43,630	43,460	42,475	0° 50'
MF 45 x 3		45,000	44,764	43,051	42,926	41,319	44,952	44,577	43,003	42,803	41,271	44,915	44,540	42,966	42,766	41,234	1° 16'
MF 45 x 4		45,000	44,700	42,402	42,262	40,093	44,940	44,465	42,342	42,118	40,033	44,905	44,430	42,307	42,083	39,998	1° 43'
MF 48 x 1,5		48,000	47,850	47,026	46,926	46,160	47,968	47,732	46,994	46,834	46,128	47,933	47,697	46,959	46,799	46,093	0° 35'
MF 48 x 2		48,000	47,820	46,701	46,589	45,546	47,962	47,682	46,663	46,483	45,508	47,929	47,649	46,630	46,450	45,475	0° 47'
MF 48 x 3		48,000	47,764	46,051	45,919	44,319	47,952	47,577	46,003	45,791	44,271	47,915	47,540	45,966	45,754	44,234	1° 11'
MF 48 x 4		48,000	47,700	45,402	45,252	43,093	47,940	47,465	45,342	45,106	43,033	47,905	47,430	45,307	45,071	42,998	1° 36'
MF 52 x 1,5		52,000	51,850	51,026	50,926	50,160	51,968	51,732	50,994	50,834	50,128	51,933	51,697	50,959	50,799	50,093	0° 32'
MF 52 x 2		52,000	51,820	50,701	50,589	49,546	51,962	51,682	50,663	50,483	49,508	51,929	51,649	50,630	50,450	49,475	0° 43'
MF 52 x 3		52,000	51,764	50,051	49,919	48,319	51,952	51,577	50,003	49,791	48,271	51,915	51,540	49,966	49,754	48,234	1° 5'
MF 52 x 4		52,000	51,700	49,402	49,252	47,093	51,940	51,465	48,342	49,106	47,033	51,905	51,430	49,307	49,071	46,998	1° 28'
MF 56 x 1,5		56,000	55,850	55,026	54,926	54,160	55,968	55,732	54,994	54,834	54,128	55,933	55,697	54,959	54,799	54,093	0° 29'
MF 56 x 2		56,000	55,820	54,701	54,589	53,546	55,962	55,682	54,663	54,483	53,508	55,929	55,649	54,630	54,450	53,475	0° 40'
MF 56 x 3		56,000	55,764	54,051	53,919	52,319	55,952	55,577	54,003	53,791	52,271	55,915	55,540	53,966	53,754	52,234	1°
MF 56 x 4		56,000	55,700	53,402	53,252	51,093	55,940	55,465	53,342	53,106	51,033	55,905	55,430	53,307	53,071	50,998	1° 22'
MF 60 x 1,5		60,000	59,850	59,026	58,926	58,160	59,968	59,732	58,994	58,834	58,128	59,933	59,697	58,959	58,799	58,093	0° 28'
MF 60 x 2		60,000	59,820	58,701	58,589	57,546	59,962	59,682	58,663	58,483	57,508	59,929	59,649	58,630	58,450	57,475	0° 37'
MF 60 x 3		60,000	59,764	58,051	57,919	56,319	59,952	59,577	58,003	57,791	56,271	59,915	59,540	57,966	57,754	56,234	0° 56'
MF 60 x 4		60,000	59,700	57,402	57,252	55,093	59,940	59,465	57,342	57,106	55,033	59,905	59,430	57,307	57,071	54,998	1° 16'
MF 64 x 2		64,000	63,820	62,701	62,589	61,546	63,962	63,682	62,663	62,483	61,508	63,929	63,649	62,630	62,450	61,475	0° 35'
MF 64 x 3		64,000	63,764	62,051	61,919	60,319	63,952	63,577	62,003	61,791	60,271	63,915	63,540	61,966	61,754	60,234	0° 53'
MF 64 x 4		64,000	63,700	61,402	61,252	59,093	63,940	63,465	61,342	61,106	59,033	63,905	63,430	61,307	61,071	58,998	1° 11'
MF 68 x 2		68,000	67,820	66,701	66,589	65,546	67,962	67,682	66,663	66,483	65,508	67,929	67,649	66,630	66,450	65,475	0° 32'
MF 68 x 3		68,000	67,764	66,051	65,919	64,319	67,952	67,577	66,033	65,791	64,271	67,915	67,540	65,966	65,754	64,234	0° 49'
MF 68 x 4		68,000	67,700	65,402	65,252	63,093	67,940	67,465	65,342	65,106	63,033	67,905	67,430	65,307	65,071	62,998	1° 7'
MF 72 x 2		72,000	71,820	70,701	70,589	69,546	71,962	71,682	70,663	70,483	69,508	71,929	71,649	70,630	70,450	69,475	0° 31'
MF 72 x 3		72,000	71,764	70,051	69,919	68,319	71,952	71,577	70,003	69,791	68,271	71,915	71,540	69,966	69,754	68,234	0° 47'
MF 72 x 4		72,000	71,700	69,402	69,252	67,093	71,940	71,465	69,342	69,106	67,033	71,905	71,430	69,307	69,071	66,998	1° 3'
MF 72 x 6		72,000	71,625	68,103	67,923	64,639	71,920	71,320	68,023	67,743	64,559	71,882	71,282	67,985	67,705	64,521	1° 36'

Thread		Tolerance field (mm)														Lead				
Nomi- nal Ø	Pitch P	4 h						6 g						6 e						α β Deg., min.
		d		d ₂		d ₃		d		d ₂		d ₃		d		d ₂		d ₃		
		max.	min.	max.	min.	max.	min.	max.	min.	max.	min.	max.	min.	max.	min.	max.	min.	max.	min.	
MF 76 x 3		76,000	75,764	74,051	73,919	72,319	75,952	75,577	74,003	73,791	72,271	75,915	75,540	73,966	73,754	72,234	0° 44'			
MF 76 x 4		76,000	75,700	73,402	73,252	71,093	75,940	75,465	73,342	73,106	71,033	75,905	75,430	73,307	73,071	70,998	0° 59'			
MF 76 x 6		76,000	75,625	72,103	71,923	68,639	75,920	75,320	72,023	71,743	75,882	75,559	75,282	71,985	71,705	68,521	1° 31'			
MF 80 x 2		80,000	79,820	78,701	78,589	77,546	79,962	79,682	78,663	78,483	77,508	79,929	79,649	78,630	78,450	77,475	0° 27'			
MF 80 x 3		80,000	79,764	78,051	77,919	76,319	79,952	79,577	78,003	77,791	76,271	79,915	79,540	77,966	77,754	76,234	0° 42'			
MF 80 x 4		80,000	79,700	77,402	77,252	75,093	79,940	79,465	77,342	77,106	75,033	79,905	79,430	77,307	77,071	74,998	0° 56'			
MF 80 x 6		80,000	79,625	76,103	75,923	77,639	79,920	79,320	76,023	75,743	72,559	79,882	79,282	75,985	75,705	72,521	1° 26'			
MF 85 x 2		85,000	84,820	83,701	83,589	82,546	84,962	84,682	83,663	83,483	82,508	84,929	84,649	83,630	83,450	82,475	0° 26'			
MF 85 x 3		85,000	84,764	83,051	82,919	81,319	84,952	84,577	83,003	82,791	81,271	84,195	84,540	82,966	82,754	81,234	0° 39'			
MF 85 x 4		85,000	84,700	82,402	82,252	80,093	84,940	84,465	82,342	82,106	80,033	84,905	84,430	82,307	82,071	79,998	0° 53'			
MF 85 x 6		85,000	84,625	81,103	80,923	77,639	84,920	84,320	81,023	80,743	77,559	84,882	84,282	80,985	80,705	77,521	1° 21'			
MF 90 x 2		90,000	89,820	88,701	88,589	87,546	89,962	89,682	88,663	88,483	87,508	89,929	89,649	88,630	88,450	87,475	0° 24'			
MF 90 x 3		90,000	89,764	88,051	87,919	86,319	89,952	89,577	88,003	87,791	86,271	89,915	89,540	87,966	87,754	86,234	0° 37'			
MF 90 x 4		90,000	89,700	87,402	87,252	85,093	89,940	89,465	87,243	87,106	85,033	89,905	89,430	87,307	87,071	84,998	0° 50'			
MF 90 x 6		90,000	89,625	86,103	85,923	82,639	89,920	89,320	86,023	85,743	82,559	89,882	89,282	85,985	85,705	82,521	1° 16'			
MF 95 x 2		95,000	94,820	93,701	93,589	92,546	94,962	94,682	93,663	93,473	92,508	94,929	94,649	93,630	93,440	92,475	0° 23'			
MF 95 x 3		95,000	94,764	93,051	92,911	91,319	94,952	94,577	93,003	92,779	91,271	94,915	94,540	92,966	92,742	91,234	0° 35'			
MF 95 x 4		95,000	94,700	94,402	92,242	90,093	94,490	94,465	92,342	92,092	90,033	94,905	94,430	92,307	92,057	89,998	0° 47'			
MF 95 x 6		95,000	94,625	91,103	90,913	87,639	94,920	94,320	91,023	90,723	87,559	94,882	94,282	90,985	90,685	87,521	1° 12'			
MF 100 x 2		100,000	99,820	98,701	98,583	97,546	99,962	99,682	98,663	98,473	97,508	99,929	99,649	98,630	98,440	97,475	0° 23'			
MF 100 x 3		100,000	99,764	98,051	97,911	96,319	99,952	99,577	98,003	97,779	96,271	99,915	99,540	97,966	97,742	96,234	0° 53'			
MF 100 x 4		100,000	99,700	97,402	97,242	95,093	99,940	99,465	97,342	97,092	95,033	99,905	99,430	97,307	97,057	94,998	0° 45'			
MF 100 x 6		100,000	99,625	96,103	95,913	92,639	99,920	99,320	96,023	95,723	92,559	99,882	99,282	95,985	95,685	92,521	1° 8'			

[Dotted lines for writing]



VABS

Ultimate precision.

Blank lined page with horizontal dotted lines for writing.



VABS

Ultimate precision.

**Veysel Kütüklü Makina
Sanayi ve Ticaret A.Ş.**
Emek Mah. Sivaz Cad.
No:17, 34785 Sancaktepe
İstanbul, Turkey
Tel: +90 216 466 36 90
GSM: +90 544 373 73 77
sales@vabs.com
www.vabs.com



VABS
Ultimate precision.